

I. CHARACTERISTICS

The motif in beige EPDM flecked with Red is inlaid in a red or green HEXDALLE® XE tile made of recycled black rubber aggregate which has been sorted and graded, bound by volume-dyed polyurethane elastomer resin. As a result of the composition, expansion in heat and shrinking in the cold between the tiles are quite normal. Other processed chemical elements are used in the composition of our tiles to give them their solidity and elasticity.

Our glues and our bevelled edging must be used around the edge.

II. COLOURS

Brick Red – Green – Black – Grey – Chocolate

The inlays: Red – Green – Black – Beige flecked with red – specific colours available on request

During storage, make sure the tiles are not partially exposed to UV rays as this will affect the colour. If the colour of the tiles is not exactly uniform, simply wait a few weeks for the colour to even out. A colour loss can occur without altering the characteristics of the tile. Green is more sensitive to UV rays than Red.

A special PU 63 non-slip paint can be applied by airless spraying by a specialist to renovate the appearance of HEXDALLE® XE LUDIQUE tiles.

III. DIMENSIONS

Tiles of 500 x 500mm

Thicknesses: 25 – 35 – 45 – 55 – 65 – 75 - 90mm.

Microporous tiles with water drainage system integrated under the tile (except 25 mm-thick tiles).

IV. USE

Children's playgrounds, schools, day nurseries, recreation areas, centres for the handicapped, public parks, etc.

V. MAINTENANCE

In accordance with the Official Gazette of France of 26.12.1996, operators or managers must draw up a maintenance plan to check the state of the tiles. This inspection can be done annually or more frequently depending on how intensively the play area is used and the climatic conditions – Cleaning, Check of the H.I.C and the state of the shock-absorbing covering. Tiles should be replaced if necessary. They can be purchased individually.

HEXDALLE® XE LUDIQUE tiles are designed to keep maintenance costs low. They can be simply washed (maximum 3 Bars) or swept with a soft brush. You can also use our bactericidal cleaning product: Cleandalle FC. Allow 72 hours after sticking before cleaning for the first time. Never use a solvent to clean the tiles.

HEXDALLE® XE LUDIQUE tiles are flexible, sound-proof, non-slip, rot-proof and hygienic. They are also pleasant in shape and colour.

VI. ADVANTAGES

HEXDALLE® XE LUDIQUE brings life and enlightens your playgrounds thanks to its motives and colours. Use our tiles as an educational tool to make children's early-learning and learning easier while playing.

Shapes: square, rectangle, trapezium, circle, triangle, octagon.

Animals: dog, cat, bull, sheep, rabbit, pig, donkey, horse, duck, butterfly, turtle.

Fruits: lemon, apple, banana, pear.

Models, drawings and names are registered. No copy or reprography is permitted without prior written authorization.
This manual was reviewed in February 2016 and may be updated; please make sure this is the latest version.

FRANCE CONSTRUCTION Sols Sportifs et Techniques
ZAC des Bousquets – 165 rue de l'Initiative – F-83390 CUERS
TEL.: +33 (0)4 94 14 91 91 – FAX.: +33 (0)4 94 14 93 93
WEBSITE: www.hexdalle.com - E-MAIL: contact@hexdalle.com

English words: zero, one, two, three, four, five, six, seven, eight, nine, ten, cat, dog, duck, horse, sheep, bull, rabbit, pig.

Other: carrot, bone, moon, star, footprints: left or right or both.



HEXDALLE® HOPSCOTCH



11 HEXDALLE® XE LUDIQUÉ tiles
 Dimension: 500 x 500mm –
 Thickness: 25mm, 35mm, 45mm,
 55mm, 65mm 75mm and 90mm
 Other figures available: 0 and 9

Full hopscotch kit (with
 bevelled edges and angles)



Hexdalle® XE LUDIQUÉ tiles with English words



Models, drawings and names are registered. No copy or reprography is permitted without prior written authorization.
 This manual was reviewed in February 2016 and may be updated; please make sure this is the latest version.

VII. STORAGE

Storage temperature between 15 and 25°C.

Avoid the tiles being partially exposed to UV rays.

Prior to laying, unpack the tiles onto a flat surface so that they recover their characteristics.

VIII. LAYING

HEXDALLE® XE LUDIQUE tiles should be carefully placed outside the areas where they would be subject to wear as a result of the design of the play equipment.

IX. PACKAGING

Per unit sale

PLEASE NOTE:

The motifs can be sold without the tiles and be inlaid into the wet floors in place.



Models, drawings and names are registered. No copy or reprography is permitted without prior written authorization.
This manual was reviewed in February 2016 and may be updated; please make sure this is the latest version.

FRANCE CONSTRUCTION Sols Sportifs et Techniques
ZAC des Bousquets – 165 rue de l'Initiative – F-83390 CUERS
TEL.: +33 (0)4 94 14 91 91 – FAX.: +33 (0)4 94 14 93 93
WEBSITE: www.hexdalle.com - E-MAIL: contact@hexdalle.com